

## Highly Erodible Lands Report

Blount County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
AbB	ALBERTVILLE SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
AbC	ALBERTVILLE SILT LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
AbD	ALBERTVILLE SILT LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
AeB	ALLEN LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
AeC	ALLEN LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
AeD	ALLEN LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
AeE	ALLEN LOAM, 15 TO 25 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Bc	BARFIELD-ROCK OUTCROP COMPLEX	not highly erodible	highly erodible	highly erodible
BdC	BODINE CHERTY SILT LOAM, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BdF	BODINE CHERTY SILT LOAM, 15 TO 45 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Cr	CREVASSE LOAMY FINE SAND	not highly erodible	not highly erodible	not highly erodible
DcB	DECATUR LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
DcC	DECATUR LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
DtC2	DECATUR SILTY CLAY LOAM, 4 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Ee	ELLISVILLE SILT LOAM	not highly erodible	not highly erodible	not highly erodible
En	ENNIS CHERTY SILT LOAM	not highly erodible	not highly erodible	not highly erodible
FtB	FULLERTON CHERTY SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
FtC	FULLERTON CHERTY SILT LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
FtD	FULLERTON CHERTY SILT LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Ha	HAMBLEN LOAM	not highly erodible	not highly erodible	not highly erodible
HcB	HANCEVILLE LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
HcC	HANCEVILLE LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
HeB	HARTSELLS FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
HeC	HARTSELLS FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
HhD	HARTSELLS-HECTOR COMPLEX, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
HrC	HECTOR-ROCK OUTCROP COMPLEX, 2 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
HrF	HECTOR-ROCK OUTCROP COMPLEX, 10 TO 45 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible

# Highly Erodible Lands Report (cont.)

Blount County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
LaA	LEADVALE SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
LaB	LEADVALE SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LeB	LINKER FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LeC	LINKER FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LeD	LINKER FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LhC	LINKER-HECTOR COMPLEX, 2 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Lo	LOBELVILLE CHERTY SILT LOAM	not highly erodible	not highly erodible	not highly erodible
MnB	MINVALE SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
MnC	MINVALE SILT LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MtD	MONTEVALLO-TOWNLEY COMPLEX, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MtF	MONTEVALLO-TOWNLEY COMPLEX, 15 TO 45 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
NeB	NECTAR SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
NeC	NECTAR SILT LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
NeD	NECTAR SILT LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Pr	PALMERDALE VERY CHANNERY SILT LOAM, 2 TO 60 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
ReB2	REMLAP SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
ReC2	REMLAP SILTY CLAY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
ReD2	REMLAP SILTY CLAY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Sa	SPADRA FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
StB	STEMLEY CHERTY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
Ta	TAFT SILT LOAM	not highly erodible	not highly erodible	not highly erodible
TnB	TOWNLEY SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
TnC	TOWNLEY SILTY CLAY LOAM, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Tu	TUPELO SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Wa	WEHADKEE SOILS	not highly erodible	not highly erodible	not highly erodible
WnB	WYNNVILLE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible